Poisoning Deaths

Poisoning Deaths

- •Most recent data (2012): 10.1 deaths per 100,000, including 214 deaths.
 •Trend over time: 2000-06: rising; 2006-12: flat

Poisoning deaths, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	9.8	9.2	10.4	206
AGE	-			
<18	0.4 §	0.2 §	0.8 §	2
18-24	8.0	6.3	10.1	14
25-44	12.6	11.4	14.0	77
15-64	20.3	18.6	22.1	105
65+	3.8	2.7	5.2	8
GENDER			•	
Male	12.5	11.5	13.5	131
Female	7.1	6.4	7.8	75
RACE/ETHNICITY	<u> </u>			
AIAN	27.8	18.5	44.1	6
Asian	1.6	1.0	2.5	5
Black	17.3	14.2	21.3	22
Hispanic	6.1	4.3	9.5	9
Multiple	7.7	4.8	14.1	5
NHPI	*	*	*	*
White	10.7	10	11.5	168
NEIGHBORHOOD POVERTY				
High	18.3	16.0	20.8	48
Medium	9.5	8.8	10.3	126
Low	6.1	5.1	7.2	28
REGION	<u> </u>			
East	5.4	4.6	6.4	28
North	10.3	8.0	13.3	14
Seattle	11.8	10.7	13.1	79
South	11.0	9.9	12.1	80

Comparisons:

Higher than King County rate (yellow) Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

'Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poisoning deaths King County, 2008-2012 average



Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 12/2014. ^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

§ Too few cases to meet precision standard, interpret with caution. Persons of Hispanic ethnicity can be of any race and are included in the racial categories. Poverty = Neighborhood poverty levels defined by median household income.

^{|-----|} Confidence interval shows range that includes true value 95% of the time.
* Too few cases to protect confidentiality and/or report reliable rates.

Poisoning deaths by comparison areas

The Healthy People 2020 Objective for poisoning deaths is 11/100,000.

	Latest Available Year	Rate	Lower CI	Upper CI
United States	2010	10.6	10.5	10.7
WA State	2012	11.9	11.1	12.7
King County	2012	10.1	8.7	11.6

Source: WAState DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Cl is 95% Confidence Interval.

Poisoning deaths by health reporting areas, King County, 2008-2012 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	9.8	9.2	10.4	206
Aubum	13.6	9.8	18.5	9
Auburn-North	12.1	7.7	18.4	5
Aubum-South	15.7	9.4	25.2	4
Bear Creek/Carnation/Duvall	7.0	4.1	11.8	4
Bellewe	4.6	3.1	6.6	6
Bellewe-Central	5.3 §	2.5 §	10.3 §	2
Bellewe-NE	7.1	3.8	12.5	3
Bellevue-South	*	*	*	*
Bellewe-West	3.5 §	1.1 §	9.0 §	1
Black Diamond/Enumclaw/SE County	13.2	8.8	19.4	6
		 	+	+
Bothell/Woodinville	6.1 §	3.0 §	11.4 §	2
Burien	12.7	8.7	18.2	6
Covington/Maple Valley	4.1 §	2.0 §	8.2 §	2
Des Moines/Normandy Park	15.3	10.2	22.2	6
East Federal Way	11.4	7.1	18.2	4
Fairwood	6.6 §	2.8 §	15.1 [§]	2
Federal Way	11.8	8.8	15.7	10
Fed Way-Central/Military Rd	12.1	8.4	17.2	7
Fed Way-Dash Point/Woodmont	11.5	6.7	18.8	4
Issaquah	6.8 §	3.2 §	13.4 §	2
Kenmore/LFP	12.2	7.5	18.9	4
Kent	9.2	6.9	12.1	11
Kent-East	7.9	4.3	13.9	3
Kent-SE	10.1	6.7	15.0	6
Kent-West	9.2	5.1	17.3	3
Kirkland	6.8	4.5	10	6
Kirkland	5.4	2.9	9.6	3
Kirkland North	8.9	4.9	15.4	3
Mercer Isle/Pt Cities	*	*	*	*
Newcastle/Four Creeks	11.1	6.2	19.2	3
North Highline	28.3	18.4	42.9	5
Redmond	4.4	2.2	8.3	2
Renton	9.5	7.1	12.5	11
Renton-East	5.8 §	2.6 §	12.2 §	2
Renton-North	8.4	4.5	14.9	3
Renton-South	12.6	8.6	18.0	6
Sammamish	4.0 §	1.6 §	10.1 §	2
SeaTac/Tukwila	13.6	9.4	19.6	7
Seattle	11.8	10.7	13.1	79
Ballard	7.6	4.7	12.3	4
Beacon/Gtown/S.Park	7.3	4.2	12.2	3
Capitol Hill/E.lake	10.6	6.8	17.2	5
Central Seattle	14.8	10.3	21.2	7
Delridge	13.0	8.0	20.9	4
Downtown	41.5	33.6	57.0	20
Fremont/Greenlake	7.8	4.4	13.6	4
NE Seattle	7.0	4.4	11.0	4
North Seattle	10.9	7.1	16.6	5
NW Seattle	15.1	10.5	21.8	7
QA/Magnolia	7.5	4.8	11.9	5
SE Seattle	9.4	5.7	14.6	4
Vest Seattle	9.4	6.2	14.3	6
	9.4	8.3	14.3	7
Shoreline Shoreline Shoreline				_
Snoqualmie/North Bend/Skykomish	5.5 *	2.8	11.2	2 *
Vashon Island Comparisons:		<u> </u>	1	<u>.</u>

Comparisons:

Higher than King County rate (yellow)

Lower than King County rate (green)

Notes:

Source: WAState DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

 $^{\Lambda}$ Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

 \S Too few cases to meet precision standard, interpret with caution.

Persons of Hispanic ethnicity can be of any race and are included in the racial categories.

Poisoning deaths by health reporting areas King County, 2008-2012 average




Note: HRA labels on the map match the chart on the right, listed in alphabetical order Source: WA State DOH, Center for Health Statistics, Death Certificates.

Prepared by Public Health - Seattle & King County, APDE, 12/2014.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Poisoning deaths King County, 2000-2012, three-year rolling averages



Source: WA State DOH, Center for Health Statistics, Death Certificates. Prepared by Public Health - Seattle & King County, APDE, 12/2014.
^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

Produced by the
Assessment, Policy Development & Evaluation Unit
Public Health - Seattle & King County
12/14

